

NVR508P8-I2

8-ch H.265 4K POE NVR




Video/Audio Input	
IP video input	8-ch
Two-way audio input	1-ch, RCA (2.0 Vp-p, 1kΩ)
Network	
Incoming bandwidth	80Mbps
Outgoing bandwidth	256Mbps
Remote connection	32
Video/Audio Output	
HDMI Output	1-ch, resolution: 4K(3840 x 2160)/60Hz, 4K(3840 x 2160)/30Hz, 1920 x 1080P/60Hz, 1600 x 1200/60Hz, 1280 x 1024/60Hz, 1280 x 720/60Hz, 1024 x 768/60Hz
Recording Resolution	12MP/8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF
Audio Output	1-ch, RCA (Linear, 1kΩ)
Synchronous Playback	8-ch
VGA Output	1-ch, resolution: 1920 x 1080P/60Hz, 1280 x 1024/60Hz, 1280 x 720/60Hz, 1024 x 768/60Hz
Decoding	
Live view / Playback	12MP/8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF
Capability	2-ch@4K, 8-ch@1080P
Hard Disk	
SATA	2 SATA interfaces for 4HDDs
Capacity	Up to 6TB capacity for each HDD
External Interface	
Network Interface	1 RJ-45 10/100/1000Mbps self-adaptive Ethernet interface
USB Interface	Front panel: 1 x USB 2.0 Rear panel: 1 x USB 3.0
Alarm In	4-ch
Alarm Out	1-ch
POE	
Interface	8 independent 10/100 Mbps PoE Ethernet interfaces
Max. Power	120W
Supported Standard	IEEE 802.3 af/at
General	
Power Supply	100 to 240 VAC, 50 to 60 Hz
Consumption(without hard disk and POE)	Less than 15 W
Working Temperature	+14 °F to + 131 °F
Working Humidity	10 % to 90 %
Chassis:	15.2 Inch
Dimensions	15.2" x 12.4" x 2.0"
Weight(without HDD)	6.6 lbs

Features

- Support 4K display
- 8-ch IP cameras input, max 12MP resolution
- 80Mbps incoming bandwidth
- 8-ch@1080P 30fps decoding capability
- Support alarm I/O
- Support 2 SATA with 6TB HDD for each
- Support Point-of-Sales (PoS) integration
- Support 16 independent POE network interfaces

Physical Interfaces



Index	Name
1	AUDIO IN
2	AUDIO OUT
3	VGA Output
4	HDMI Interface
5	Controller Port, Alarm In/ Alarm Out
6	Lan Interface
7	USB 3.0 Interface
8	GND
9	100 to 240 VAC Power Supply
10	Power Switch
11	Network Interface with PoE Function

Order Model

NVR508P8-I2

* Product specifications may change without prior notice.

